



An Electronic Transaction Company



Point-of-Sale

**Equipment
Supplies
Accessories
Repairs**



Customer Support

713-629-0906

Hours:

7:00 am to 7:00 pm

M-F

Bancnet Technical Support Services

www.banc.net

Open 24 Hours

Scroll Down or click on thumbnails to
view Brochure or User Guide pages

THALES e-TRANSACTIONS



- EMV
- CDPD
- DataTAC



ARTEMA™ MOBILE
WIRELESS TRANSACTIONS ANYWHERE

Artema Mobile: card acceptance anywhere



Wireless Payment Terminals that provide merchants and their customers with quick, easy, and

convenient payment options, wherever they are.

Debit and credit transactions - anywhere

Kiss the wires goodbye! Artema Mobile allows transaction authorization using wireless technology (DataTAC

(Motient) or CDPD) for merchants who travel and do not have access to a telephone line.

Securely perform both payment and non payment transactions

Artema Mobile meets the strictest security requirements for EMV PIN entry and provides the protection

required for loyalty and giftcard transactions as well.

Powerful, yet easy to use

Operating with a 32 Bit RISC processor, Artema Mobile shares the common Artema family architecture. The "AUTO-LOAD" paper system works seamlessly with the ultra-fast thermal printer to keep transaction

time to a minimum. The ergonomic design lets the Artema fit into the palm of the hand. In addition, the large menu driven display with ATM-like keys along with the backlit keypad make operations very intuitive.

TECHNICAL DATA

CPU

- 32-BIT RISC microprocessor
- Full multi-tasking
- 2 MB flash EEPROM
- Memory expandable to 8 MB

Printer

- "AUTO-LOAD" paper system
- Super fast thermal printer (speed: 15 lines per second)

Display

- Graphic/Logo, backlit display - Scrolling menus
- Modem status & battery power icon
- High resolution - 5 x 22 line display

Keypad

- 17 wide keys, including 3 menu keys for easy navigation
- Backlit keys for easy viewing
- Optional secure integrated pin-pad

Wireless Technology

- CDPD
- DataTAC (Motient)

Antenna

- Internal integrated antenna

Magnetic Card Reader

- Bi-directional ISO track 1 & 2 / 2 & 3 reader

Smart card reader

- Synchronous and asynchronous cards
- Certified to EMV specifications

SAM card reader

- 2 or 4 SAM microcard readers

Battery

- 125 transactions per battery charge
- Recharges on powered base
- Screen icon shows battery charge level
- Removable battery pack
- Optional second battery pack recharges on powered base

Software

- 10 seconds per full download
- EZ-WARE software package examples:
 - Minor guard
 - EBT
 - Purchase card
 - Custom Logo
 - MOTO/AVS
 - Dial Backup
 - Store and Forward

Dimensions

- Terminal: 9.5 x 3.5 x 2.5 (max) approx. with battery pack
- Weight: 1lb 8oz approx. (without paper roll)
- Base: 9.25 x 5.5 x 2 tapered
- Weight: 1lb 8oz approx. (with cable)

All trademarks mentioned are registered by their respective owners
Thales e-Transactions reserves the right to modify the technical features of this device without advance notice.

THALES

Thales e-Transactions, Inc.
888-726-3900
www.thales-e-trans.com